

## Radiotherapy consent form for oesophageal cancer

This form should only be used if the patient is over 16 years old and has capacity to give consent. If the patient does not legally have capacity please use an appropriate alternative consent form from your hospital.

Patient details			
Patient name:  Patient unique identifier:		Date of birth:  Name of hospital:	
Special requirements: eg, tr	ransport, interpreter, assistance		
Details of radiothe	rapy		
Radiotherapy type:	External beam radiotherapy		
Site:	Oesophagus		
Aim of treatment: (Tick as appropriate)	<ul> <li>□ Curative – to give you the best chance of being cured</li> <li>□ Neo-adjuvant – treatment given before surgery</li> <li>□ Adjuvant – treatment given after surgery to reduce the risk of cancer coming back</li> <li>□ Disease control/palliative – to improve your symptoms and/or help you live longer but not to cure your cancer</li> </ul>		
Concurrent systemic anti-cancer therapy: (Tick as appropriate)	☐ Yes with ☐ No (A separate consent form will cover the possible side-effects of this treatment)		
Contact details are provided	before starting, during or after y here for any further queries, e to discuss your treatment further.	our radiotherapy.	

## Possible early or short-term side-effects

Start during radiotherapy or shortly after completing radiotherapy and usually resolve within two to six months of finishing radiotherapy. Frequencies are approximate.

two to six months of finishing fudiotherapy. Trequencies are approximate.				
<b>Expected</b> 50%–100%	<ul> <li>☐ Tiredness</li> <li>☐ Skin soreness, itching and colour changes in treatment area - redness in white skin tones and subtle darkness, yellow/purple/grey appearance in brown and black skin tones</li> <li>☐ Increased saliva or mucous production</li> <li>☐ Loss of appetite which may lead to weight loss</li> <li>☐ Inflammation of the oesophagus which may cause pain and/or difficulty with swallowing</li> <li>☐ Indigestion or heartburn</li> <li>☐ Nausea or vomiting</li> <li>☐ Abdominal discomfort or bloating</li> </ul>			
<b>Common</b> 10%–50%	<ul> <li>☐ Hair loss in treatment area</li> <li>☐ Inflammation of the lungs – causing cough or shortness of breath</li> <li>☐ Feeding via a tube into the stomach/small intestine</li> <li>☐ Admission to hospital for control of side-effects</li> <li>☐ Sore mouth or throat</li> </ul>			
Less common Less than 10%	☐ Mouth ulcers ☐ Change in voice			
Rare Less than 1%	<ul> <li>☐ Risk of an oesophageal fistula – abnormal connection between the oesophagus and airways</li> <li>☐ Pneumonia</li> </ul>			
Specific risks to you from your treatment				
	I confirm that I have had the above side-effects explained.  Patient initials			

Possible late or long-term side-effects				
May happen many m Frequencies are app	nonths or years after radiotherapy and may be permanent. proximate.			
<b>Expected</b> 50%–100%				
Common 10%–50%	<ul> <li>Ongoing fatigue</li> <li>Oesophageal stricture which may require endoscopic treatment</li> <li>Oesophageal dysmotility causing a change in swallow</li> <li>Fibrosis (scarring) of the underlying lung which can cause breathlessness, cough or changes on X-ray</li> </ul>			
Less common Less than 10%	<ul> <li>☐ Hypothyroidism – a hormone deficiency, this may require you to take medications</li> <li>☐ Risk of damage to the heart – risk depends on the position of the tumour in the oesophagus</li> <li>☐ Skin changes in treatment area including:         <ul> <li>Usually lighter or darker for any skin tone</li> <li>Scarring</li> <li>Telangiectasia – small visible blood vessels which look like spidery marks</li> </ul> </li> </ul>			
Rare Less than 1%	Oesophageal or gastric ulceration or perforation (tear) which may require surgery Oesophageal fistulation – abnormal connection between the oesophagus and airways Long-term need for feeding via a tube Bleeding which may require endoscopic treatment or surgery Myelitis – inflammation of nerves which may cause a change in muscle power or sensation Risk of rib/vertebral fracture Hyposplenism – the spleen no longer functions which lowers immunity and may require additional vaccinations and prophylactic antibiotics Long-term decline in kidney function A different cancer in the treatment area Risk to life			
Specific risks to you from your treatment				
	I confirm that I have had the above side-effects explained.			

Patient name:	Patient unique identifier:	
Statement of health professional	(to be filled in by health professional with appropriate knowledge of proposed procedure)	
<ul> <li>I have discussed what the treatment is likely to involve, the</li> <li>I have also discussed the benefits and risks of any available</li> <li>I have discussed any particular concerns of this patient.</li> </ul>		
Patient information leaflet provided:  Yes / No – Details:		
Copy of consent form accepted by patient:   Yes /   No		
Signature:	Date:	
Name:	Job title:	
Statement of patient		Statement of:
I have had the aims and possible side effects of treatment opportunity to discuss alternative treatment and I agree to the control of th	interpreter witness (where appropriate)	
<ul> <li>described on this form.</li> <li>I understand that a guarantee cannot be given that a part radiotherapy. The person will, however, have appropriate</li> <li>I have been told about additional procedures which are n to treatment or may become necessary during my treatminclude permanent skin marks and photographs to help will planning and identification.</li> <li>I agree that information collected during my treatment, in records may be used for education, audit and research. A</li> </ul>	<ul> <li>I have interpreted the information contained in this form to the patient to the best of my ability and in a way in which I believe they can understand.</li> <li>or</li> <li>I confirm that the patient is unable to sign but has</li> </ul>	
I am aware I can withdraw consent at anytime.	indicated their consent.	
Tick if relevant  I confirm that there is no risk that I could be pregnant.		Signature:
I understand that I should not become pregnant during to	eatment.	
Note: if there is any possibility of you being pregnant you must tell your hospital doct your treatment as this can cause significant harm to an unborn fetus. Testosterone ar are not contraception.	Name:	
I understand that if I were to continue to smoke it could he side-effects I experience and the efficacy of my treatmen	Date:	
I do not have a pacemaker and/or implantable cardiovertor		
I have a pacemaker and/or implantable cardioverter defibrisks associated with this explained to me.	Patient confirmation of consent	
Signature:		(To be signed prior to the start of radiotherapy)
Patient name:	Date:	I confirm that I have no further questions and wish to go ahead with treatment.
		Patient initials
		Date: