

Radiotherapy consent form for rectal cancer



Clinical
Oncology

The Royal College of Radiologists

This form should only be used if the patient is over 16 years old and has capacity to give consent. If the patient does not legally have capacity please use an appropriate alternative consent form from your hospital.

Patient details

Patient name:

Date of birth:

Patient unique identifier:

Name of hospital:

Responsible consultant oncologist or consultant radiographer:

Special requirements: eg, transport, interpreter, assistance

Details of radiotherapy treatment

Radiotherapy type:

External beam radiotherapy

Site:

(Tick as appropriate)

- Rectum
 Pelvic lymph nodes
 Other _____

Aim of treatment:

(Tick as appropriate)

- Curative** – to give you the best chance of being curedd
 Neo-adjuvant – treatment given before surgery
 Adjuvant – treatment given after surgery to reduce the risk of cancer coming back
 Disease control/palliative – to improve your symptoms and/or help you live longer but not to cure your cancer

Concurrent systemic anti-cancer therapy:

(Tick as appropriate)

- Yes with _____
 No

(A separate consent form will cover the possible side-effects of this treatment)

You may have questions before starting, during or after your radiotherapy.

Contact details are provided here for any further queries, concerns or if you would like to discuss your treatment further.

Patient name:

Patient unique identifier:

Possible early or short-term side-effects

Start during radiotherapy or shortly after completing radiotherapy and usually resolve within two to six months of finishing radiotherapy. Frequencies are approximate.

<p>Expected 50%–100%</p>	<p><input type="checkbox"/> Tiredness</p>
<p>Common 10%–50%</p>	<p><input type="checkbox"/> Bowel frequency (opening your bowels more often than normal) and urgency (a sudden urge to open your bowels)</p> <p><input type="checkbox"/> Looser stools with more mucous or wind compared to normal</p> <p><input type="checkbox"/> Pain in the abdomen/back passage</p> <p><input type="checkbox"/> Bleeding from the rectum</p> <p><input type="checkbox"/> Tenesmus (feeling the need to open bowels)</p> <p><input type="checkbox"/> Urinary frequency (passing urine more often than normal) and urgency (a sudden urge to pass urine)</p> <p><input type="checkbox"/> Cystitis/pain when you urinate</p> <p><input type="checkbox"/> Skin soreness, redness, itching and blistering in the treatment area</p> <p><input type="checkbox"/> Hair loss in the treatment area</p>
<p>Less common Less than 10%</p>	
<p>Rare Less than 1%</p>	<p><input type="checkbox"/> Nausea and/or vomiting</p>
<p>Specific risks to you from your treatment</p>	
<p>I confirm that I have had the above side-effects explained.</p>	
	<p>Patient initials</p>

Patient name:

Patient unique identifier:

Possible late or long-term side-effects

May happen many months or years after radiotherapy and may be permanent.
Frequencies are approximate.

<p>Expected 50%–100%</p>	<p><input type="checkbox"/> Skin thickening or discoloration – lighter, darker or visible blood vessels</p> <p><input type="checkbox"/> Bowel frequency (opening your bowels more often than normal)</p> <p>Women:</p> <p><input type="checkbox"/> Early menopause</p> <p><input type="checkbox"/> Infertility – unable to produce a viable egg and/or for the uterus to be able to carry a fetus.</p>
<p>Common 10%–50%</p>	<p><input type="checkbox"/> Mild/moderate bowel incontinence</p> <p><input type="checkbox"/> Bowel urgency (a sudden urge to open your bowels)</p> <p><input type="checkbox"/> Bleeding from the rectum</p>
<p>Less common Less than 10%</p>	<p><input type="checkbox"/> Bowel obstruction/stricture – a narrowing in your bowel, which may require surgery</p> <p><input type="checkbox"/> Urinary leak or incontinence</p> <p><input type="checkbox"/> Urinary frequency (passing urine more often than normal) and urgency (a sudden urge to pass urine)</p> <p><input type="checkbox"/> Cystitis/pain when you urinate</p> <p><input type="checkbox"/> Pelvis/hip bone thinning and/or fractures</p> <p>Women:</p> <p><input type="checkbox"/> Vaginal narrowing, shortness or dryness – which may cause pain and make sexual activity more difficult</p> <p>Men:</p> <p><input type="checkbox"/> Infertility – unable to produce viable sperm</p> <p><input type="checkbox"/> Change in ejaculate – reduced amount or dry</p> <p><input type="checkbox"/> Inability to achieve an erection</p>
<p>Rare Less than 1%</p>	<p><input type="checkbox"/> Bowel/bladder damage which may require surgery – due to perforation (hole) or fistula (abnormal connection between two parts of your body)</p> <p><input type="checkbox"/> A different cancer in the treatment area</p>
<p>Specific risks to you from your treatment</p>	
<p>I confirm that I have had the above side-effects explained.</p>	
	<p>Patient initials</p>

Patient name:

Patient unique identifier:

Statement of health professional

(to be filled in by health professional with appropriate knowledge of proposed procedure)

- I have discussed what the treatment is likely to involve, the intended aims and side-effects of this treatment.
- I have also discussed the benefits and risks of any available alternative treatments including no treatment.
- I have discussed any particular concerns of this patient.

Patient information leaflet provided: Yes / No – Details: _____

Copy of consent form accepted by patient: Yes / No

Signature:

Date:

Name:

Job title:

Statement of patient

- I have had the aims and possible side effects of treatment explained to me and the opportunity to discuss alternative treatment and I agree to the course of treatment described on this form.
 - I understand that a guarantee cannot be given that a particular person will perform the radiotherapy. The person will, however, have appropriate expertise.
 - I have been told about additional procedures which are necessary prior to treatment or may become necessary during my treatment. This may include permanent skin marks and photographs to help with treatment planning and identification.
- I agree that information collected during my treatment, including images and my health records may be used for education, audit and research. All information will be anonymised. I am aware I can withdraw consent at anytime.

Tick if relevant

- I confirm that there is no risk that I could be pregnant.
- I understand that I should not become pregnant during treatment.

Note: if there is any possibility of you being pregnant you must tell your hospital doctor/health professional before your treatment as this can cause significant harm to an unborn fetus.

- I understand that I should not father a child or donate sperm during the course of my treatment and I will discuss with my oncologist when it will be safe for me to father a child after radiotherapy.

- I understand that if I were to continue to smoke it could have a significant impact on the side-effects I experience and the efficacy of my treatment.

- I do not have a pacemaker and/or implantable cardioverter defibrillator (ICD).

or

- I have a pacemaker and/or implantable cardioverter defibrillator (ICD) and I have had the risks associated with this explained to me.

Signature:

Patient name:

Date:

Statement of:

- interpreter**
- witness** (where appropriate)

- I have interpreted the information contained in this form to the patient to the best of my ability and in a way in which I believe they can understand.

or

- I confirm that the patient is unable to sign but has indicated their consent.

Signature:

Name:

Date:

Patient confirmation of consent

(To be signed prior to the start of radiotherapy)

I confirm that I have no further questions and wish to go ahead with treatment.

Patient initials

Date: